

# High-End Server Rack Enclosures

## R5000 Series with 10-32 UNC Threaded Rails



A new generation for server rack enclosures with a multitude of added features. Its hidden assembly screws and rolled edges give the cabinet a sleek, minimalistic finish.



- Adjustable M6 threaded front and back rails
- Removable doors and side panels
- Door can be unpinned and rotated
- Integral vertical cable management bars
- Multiple mounting options for castors and feet
- Customizable top and bottom
- Earth points
- Bayable

### *R5066 SERIES - 23.6" Deep*

<b>Width x Depth</b>	23.6" x 23.6"
<b>Mounting Depths:</b>	Min: 5.9" / Max: 19.68"
<b>Available Unit Sizes:</b>	18U, 22U, 27U, 32U, 37U, 42U or 47U
<b>Available Front Doors:</b>	Glass or Perforated Steel

### *R5086 SERIES - 31.5" Deep*

<b>Width x Depth</b>	23.6" x 31.5"
<b>Mounting Depths:</b>	Min: 5.9" / Max: 27.5"
<b>Available Unit Sizes:</b>	22U, 27U, 32U, 37U, 42U or 47U
<b>Available Front Doors:</b>	Glass or Perforated Steel



1

### Front & Back Doors

- Reversible and removable
- Concealed door handles
- Glass, plain or vented steel doors
- Replacement lock available\*



2

### Side Panels

- Easy to open with slam latches
- Removable
- Vented Side Panels Available
- Optional side panel locks\*



3

### Cable Management

- Corner posts feature integral cable management
- Optional, adjustable vertical cable management trays



4

### Customisable

- Modular Top & Bottom Units from 6U to 18U available on the top and the bottom of each enclosure



5

### Threaded Rails

- Adjustable mounting depth from 6" to 35.5"
- No more cage nuts with the 10/32 UNC threaded rack rails



6<sub>a</sub>

### 2" Castors

- 1.6" x 1.6" hole patterns for 2" castors.
- Use our W0950 - 2" Castor/Foot.



6<sub>b</sub>

### 3" & 4" Castors

- 3.15" x 3.36" hole patterns for 3" & 4" castors.



6<sub>c</sub>

### Adjuster feet

- M12 holes for adjuster feet.
- See part number R8295 for sets of adjuster feet from 1.2" to 3.75".

\* P/N: R40-R84-DOOR-LOCK

## 23.6" Wide x 23.6" Deep Rack Enclosures

Part Numbers		Dimensions		
Glass Front Door	Vented Steel Front Door	Size (U)	Height	Weight
R5066-18UK	R5066-V-18UK	18U	35.5"	121.3lb
R5066-22UK	R5066-V-22UK	22U	43"	136.7lb
R5066-27UK	R5066-V-27UK	27U	51"	156.5lb
R5066-32UK	R5066-V-32UK	32U	60"	167.6lb
R5066-37UK	R5066-V-37UK	37U	69"	183lb
R5066-42UK	R5066-V-42UK	42U	77"	198.5lb
R5066-47UK	R5066-V-47UK	47U	86"	213.9lb

## 23.6" Wide x 31.5" Deep Rack Enclosures

Part Numbers		Dimensions		
Glass Front Door	Vented Steel Front Door	Size (U)	Height	Weight
R5086-22UK	R5086-V-22UK	22U	43"	149.9lb
R5086-27UK	R5086-V-27UK	27U	51"	172lb
R5086-32UK	R5086-V-32UK	32U	60"	194lb
R5086-37UK	R5086-V-37UK	37U	69"	216lb
R5086-42UK	R5086-V-42UK	42U	77"	238.1lb
R5086-47UK	R5086-V-47UK	47U	86"	260.2lb